


County Health Rankings
 Mobilizing Action Toward Community Health
 Valley, Idaho

| | VALLEY COUNTY | ERROR MARGIN | NATIONAL BENCHMARK* | IDAHO | RANK (OF 42) |
|--|---------------|--------------|---------------------|---------|--------------|
| HEALTH OUTCOMES | 11 | | | | |
| <i>Mortality</i> | 9 | | | | |
| Premature death — Years of potential life lost before age 75 per 100,000 population (age-adjusted) | 5,735 | 3,900-8,135 | 5,564 | 6,422 | |
| <i>Morbidity</i> | 22 | | | | |
| Poor or fair health — Percent of adults reporting fair or poor health (age-adjusted) | 12% | 8-19% | 10% | 14% | |
| Poor physical health days — Average number of physically unhealthy days reported in past 30 days (age-adjusted) | 3.6 | 2.4-4.8 | 2.6 | 3.5 | |
| Poor mental health days — Average number of mentally unhealthy days reported in past 30 days (age-adjusted) | 3.4 | 2.1-4.7 | 2.3 | 3.3 | |
| Low birthweight — Percent of live births with low birthweight (< 2500 grams) | | | 6.0% | 6.6% | |
| HEALTH FACTORS | 24 | | | | |
| <i>Health Behaviors</i> | 30 | | | | |
| Adult smoking — Percent of adults that report smoking \geq 100 cigarettes and currently smoking | 24% | 16-33% | 15% | 18% | |
| Adult obesity — Percent of adults that report a BMI \geq 30 | 27% | 20-37% | 25% | 26% | |
| Excessive drinking — Binge plus heavy drinking | 20% | 13-30% | 8% | 15% | |
| Motor vehicle crash death rate — Motor vehicle crash deaths per 100,000 population | | | 12 | 20 | |
| Sexually transmitted infections — Chlamydia rate per 100,000 population | 226 | | 83 | 280 | |
| Teen birth rate — Teen birth rate per 1,000 female population, ages 15-19 | 44 | 34-54 | 22 | 40 | |
| <i>Clinical Care</i> | 3 | | | | |
| Uninsured adults — Percent of population under age 65 without health insurance | 27% | 23-31% | 13% | 20% | |
| Primary care providers — Ratio of population to primary care providers | 343:1 | | 631:1 | 1,036:1 | |
| Preventable hospital stays — Hospitalization rate for ambulatory-care sensitive conditions per 1,000 Medicare enrollees | 43 | 34-52 | 52 | 50 | |
| Diabetic screening — Percent of diabetic Medicare enrollees that receive HbA1c screening | 73% | 49-97% | 89% | 81% | |
| Mammography screening — Percent of female Medicare enrollees that receive mammography screening | 75% | 52-99% | 74% | 61% | |
| <i>Social & Economic Factors</i> | 32 | | | | |
| High school graduation — Percent of ninth grade cohort that graduates in 4 years | 70% | | 92% | 80% | |
| Some college — Percent of adults aged 25-44 years with some post-secondary education | 53% | | 68% | 61% | |
| Unemployment — Percent of population age 16+ unemployed but seeking work | 13.3% | 12.3-14.3% | 5.3% | 8.0% | |
| Children in poverty — Percent of children under age 18 in poverty | 16% | 12-21% | 11% | 16% | |
| Inadequate social support — Percent of adults without social/emotional support | | | 14% | 17% | |
| Single-parent households — Percent of all households that are single-parent households | 20% | | 20% | 23% | |
| Homicide rate — Deaths due to homicide per 100,000 population (age-adjusted) | | | 1 | 3 | |
| <i>Physical Environment</i> | 9 | | | | |
| Air pollution-particulate matter days — Annual number of unhealthy air quality days due to fine particulate matter | 32 | | 0 | 10 | |
| Air pollution-ozone days — Annual number of unhealthy air quality days due to ozone | 0 | | 0 | 2 | |
| Access to healthy foods — Healthy food outlets include grocery stores and produce stands/farmers' markets | 75% | | 92% | 52% | |
| Access to recreational facilities — Rate of recreational facilities per 100,000 population | 34 | | 17 | 10 | |

* 90th percentile, i.e., only 10% are better
 Note: Blank values reflect unreliable or missing data

Source URL: <http://chr2011.forumone.com/idaho/valley>